

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
<i>ITMES NOTED"**, ""**" & "SPECIAL ORDER ONLY" - ARE AT A HIGHER PRICE</i>					
<i>ALL SPRINGS BY EVEN RATES - OTHER RATES BY SPECIAL ORDER</i>					
HONDA					
1996-2007	CR80/85R	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
1999-2007	CR 80/85RB EXP	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
2001-2007	CR 125R	41485	.34,.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6 - 7.4
1997-2000	CR 125R	41470	.32 - .54 EVEN RATES	59270	3.6 - 7.8
2007	CRF 150R	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
2003-2007	CRF 150	27585	.42, .44,.46,.48	54288	700#, 850#
2003-2006	CRF 230	30597	.40, .42, .44, .46, .48	51290	CALL
1997-2007	CR 250R(F)	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
1996	CR 250R	41470	.32 - .54 EVEN RATES	59270	3-6-7.8
2002-2007	CRF 450R(F)	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
2006	CRF450X	43510	NEEDS THE EXTRA PRELOAD		
1996-2001	CR 500R	41470	.32 - .54 EVEN RATES	59270	3.6-7.8
	PW 50	MILD AND HEAVY/CALL US OR SEE OUR WEB PAGE FOR MORE INFO-SEE THE FORK TUBE KIT -SHOCK SPRINGS ALSO AVAILABLE			
	XR 50	26165 26184	52#, 52#L, 62#, 62#L, 72#, 72#L	33120	200, 280, 300, 325, 350, 225-350, Dual Rate
	PW80	CALL US OR SEE OUR WEB PAGE FOR MORE INFO			
1996-2006	XR70	17403	.50, .60	35154	300, 325, & 350
2002-2006	XR 100R	17558	.50, .60 NO SPACER NEEDED	45134	850#
1999-2004	XR 200R	29595	.42, .44, .46, .48	57190	CALL
			MAY NEED A COLLAR		
1999-2006	XR 250R	34444*	SPECIAL ORDER ONLY	57190	CALL
1996-1999	XR 400R	37505	.42, .44, .46, .48, .50	64220	8.0-12.0
		36.7X505	MAY OR MAY NOT NEED SPACER		
2000-2006	XR 400R	37537*	SPECIAL ORDER ONLY	64220	8.0-12.0
		36.7X537	OR USE 37505 AND SPACER		
1996-2000	XR 600R	36574*	SPECIAL ORDER ONLY	64220	8.0-12.0
			OR USE 37505 AND SPACER		
2000-2006	XR 650R	39505	.44,.46,.48	62247	10.0-12.4
1999-2005	XR 650L	37505	.42, .44, .46, .48, .50	64220	8.0-12.0
			MAY OR MAY NOT NEED SPACER		
			1996 IS 572 LENGTH		

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
	KAWASAKI				
1983-2003	KX 60	24485	SPECIAL ORDER ONLY-NO SPACER NEEDED		call
2002-2007	KX 65	27500	.24, .26, .28, .30, .32, .34, .36	46212	3.2 - 7.0
2000-2001	KX 65	27460	.28, .30	46212	3.2 - 7.0
2001-2007	KX 85	31428	.24, .26, .28, .30, .32, .34, .36, .38	55240	3.2 - 7.6
1992-2000	KX 80	31428	.24, .26, .28, .30, .32, .34, .36, .38	55240	3.2 - 7.6
1995-2007	KX 100	31428	.24, .26, .28, .30, .32, .34, .36, .38	55240	3.2 - 7.6
2003-2007	KX 125	43461	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2002	KX 125	43472*	SPECIAL ORDER ONLY	59270	3.6 - 7.8
1996-2001	KX 125	41470	.32 - .54 EVEN RATES	59270	3.6 - 7.8
2006-2007	KX250F	43495	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
2004-2005	KX 250F (4str)	43461	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2005-2007	KX 250 (2 str)	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2003-2004	KX 250	43461	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2002	KX 250	43472*	SPECIAL ORDER ONLY	59270	3.6 - 7.8
1996-2001	KX 250	41470	.32 - .54 EVEN RATES	59270	3.6 - 7.8
2007	KX450F	44470	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6-7.8
2006	KX450F	44480	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6-7.8
1997-2004	KX 500	41470	.32 - .54 EVEN RATES	59270	3.6-7.8
1999-2006	KDX 200	36475	.38, .40, .42, .44, .46, .48	59270	3.6 - 7.8
1997-2006	KDX 220	36475	.38, .40, .42, .44, .46, .48	59270	3.6 - 7.8
2003-2004	KDX 400	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
2002-2007	KLX 110	23445	.50, .60	48143	300#, 380#
				SPECIFY YEAR	
2002-2003	KLX 125	21596	STRAIGHT RATE .42, .44	51267	CALL
1994-2007	KLX 300	39462*	SPECIAL ORDER ONLY	59270	3.6-7.8
2003-2004	KLX 400	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	59270	3.6-7.8

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
	KTM				
1999-2007	50 MINI ADV	24380	.24, .26, .28	46130	3.2-6.4
1999-2007	50 SX JR/SR	24380	.24, .26, .28	46130	3.2-6.4
2002-2007	65 SX	30382	.24,.26,.28,.30,.32,.34,.36,.38	46212	3.1-5.8
1999-2001	65 SX	24380	.24, .26, .28	46212	3.1-5.8
			<i>have variable rate shock springs available</i>		
2004-2007	85 SX	38425	.24, .26, .28, .30, .32, .34, .36, .38	60238	3.0 - 6.0
2004-2005	105 SX	38425	.24, .26, .28, .30, .32, .34, .36, .38	60238	3.0 - 6.0
			<i>have variable rate shock springs available - *2006 is a different length</i>		
2003-2006	125 EXC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
1999-2002	125 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2002-2006	125 SX	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-2001	125 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
1999	125 SX	44460	SPECIAL ORDER ONLY	62260**	5.0-12.4
2003-2005	200 EXC/MXC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
1999-2002	200 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2006	200XC-W&XC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2005	200 SX	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2007	250 SX & SXF	43457**	.38, .40, .42, .44, .46, .48	62260**	5.0-12.4
2006	250XC/SXF/SX	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2002-2006	250 SX	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-2001	250 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
1999	250 SX	44460	SPECIAL ORDER ONLY	62260**	5.0-12.4
2003-2005	250 EXC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-2002	250 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2006-2007	300XC-W & XC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2005	300 EXC/MXC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-2002	300 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
1999	300 EXC/MXC	44460	SPECIAL ORDER ONLY	62260**	5.0-12.4
2000-01	380 EXC/MXC/SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2002	400 SX	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-01	400 SX/EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2001-2002	400 MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2001-2002	400 LC4 DS	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2007	450 SXF	43457**	.38, .40, .42, .44, .46, .48	62260**	5.0-12.4
2006-2007	450 XC-W	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2006	450 EXC RAC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2005	450 MXC RAC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2006	450 SX	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4

CANNON RACECRAFT APPLICATION CHART						
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE	
2000-2002	520 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4	
2000-2001	520 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4	
2001-2002	520 MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4	
2006-2007	525XC-W&XC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4	
2003-2005	525 EXC RAC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4	
2003-2005	525 MXC RAC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4	
2003-2006	525 SX	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4	
	**WE HAVE THE PROGRESSIVE RATE AND STRAIGHT RATE SHOCK SPRINGS FOR THE PDS TYPE SHOCK					
			rates of -Lights, -1, -3, -4, -5, -7, -8, -10, -11, -12			
2003-2006	640 LC4 ADVR	43485**	.38, .40, .42, .44, .46, .48, .50, .52	CALL		
1999-2002	640 LC4 ADVR	44460*	SPECIAL ORDER ONLY	CALL		
2001-2004	640 LC4 DS	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	CALL		
1999-2000	640 LC4 DS	44460*	SPECIAL ORDER ONLY	CALL		
1999-2004	640 LC4 D II	CALL	SPECIAL ORDER ONLY	CALL		
2004-2006	950 ADV	43485**	.38, .40, .42, .44, .46, .48, .50, .52	CALL		

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
	SUZUKI				
2001-2004	JR 80	CALL	0.40	CALL	*
				*SPECIAL ORDER ONLY	
2006	DRZ 125	21596	.42, .44	50270*	CALL
2003	DRZ 125	21596	STRAIGHT RATE .42, .44	51267	CALL
1999-2001	DR 200SE	CALL	SPECIAL ORDER ONLY	CALL	
ALL	DR 350 (S)(SE)	CALL	SPECIAL ORDER ONLY	55273	CALL
			<i>MAY BE ABLE TO USE 37505</i>		
2006-2007	DRZ 400 SM		use part# 43495		
2001-2006	DRZ 400	43510	.36,.38,.40,.42,.44, .46,.48,.50,.52, .54	67265	3.6-7.4
1999-2000	DRZ 400	44510	SPECIAL ORDER ONLY	67265	3.6-7.4
2000-2007	DRZ 400 E, S	43510	.36,.38,.40,.42,.44, .46.48,.50,.52, .54	67265	3.6-7.4
			<i>OR ORDER 43572-VERIFY LENGTH</i>		
1999-2001	DR 650SE	37505	.42, .44, .46, .48, .50	CALL	
			<i>OR ORDER TO LENGTH-VERIFY</i>		
2003-2006	RM 65	27500	.24, .26, .28, .30, .32, .34, .36	46212	3.2-5.8
2005-2007	RM 80/85 (L)	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
2002-2004	RM 80/85 (L)	32448	.22 - .50 EVEN RATES**	52250	3.4-6.2
1989-2001	RM 80	28560	.24,.26,.28,.30,.34,.36,.38	52250	3.4-6.2
2002-2006	RM 100	31428	.24,.26,.28,.30,.32,.34,.36, .38	55240	3.2 - 7.6
2004-2007	RM 125	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
2002-2003	RM 125	43478*	SPECIAL ORDER ONLY	67265	3.6-7.4
2001	RM 125	43472*	SPECIAL ORDER ONLY	67265	3.6-7.4
1998-2000	RM 125	44460*	SPECIAL ORDER ONLY	67265	3.6-7.4
2004-2007	RM 250	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
2003	RM 250	41460	.34,.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6 - 7.8
2001-2002	RM 250	41470	.32 - .54 EVEN RATES	59270	3.6 - 7.8
1999-2000	RM 250	44460*	SPECIAL ORDER ONLY	67265	3.6-7.4
1998	RM 250	42.4x470*	SPECIAL ORDER ONLY	call	call
2007	RM Z 250	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4
2004-2006	RM Z 250	43461	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6-7.8
2005-2006	RM Z450	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
	YAMAHA				
2001-2006	PW 50	CALL	CALL FOR RATES	21172	50# -150#
				25#INCREMENTS	
2001-2006	PW 80	17425	0.54	38168	5.0-7.0
2005-2007	WRF'S	43461	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2003-2004	WR 450F	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2001-2002	WR 426F	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
1998-2000	WR 400F	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2002-2007	YZ 85	31428	.24, .26, .28, .30, .32, .34, .36, .38	55225	3.4-5.8
1993-2001	YZ 80	31428	.24, .26, .28, .30, .32, .34, .36, .38	55225	3.4-5.8
2006-2007	YZ 125	44453	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2005	YZ 125	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 125	44480	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
1996-2003	YZ 125	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2006-2007	YZ 250	44453	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2005	YZ 250	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 250	44480	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
1996-2003	YZ 250	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2006-2007	YZ 250F	44453	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2005	YZ 250F	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 250F	44480	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2001-2003	YZ 250F	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2006-2007	YZ 450F	44453	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2005	YZ 450F	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 450F	44480	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
1998-2003	YZ 450F	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2003-2005	TTR 90	18419	.40 - .46 (stock rate: .35)	38174	415#, 475#
2000-2006	TTR 125	22464	.40, .42, .44, .46-NO SPACER NEEDED	55184	***
			***STRAIGHT & VARIABLE RATES		
1999-2006	TTR 225	29595	.42, .44, .46, .48, .52	50196	***
			***STRAIGHT & VARIABLE RATES		
1999	TTR250	37505	.42, .44, .46, .48, .50	CALL	

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
SPECIAL AND MISCELLANEOUS ITEMS					
ALL SPRINGS ARE AVAILABLE IN SUPER MOTARD RATES AND DIMENSIONS (CALL FOR PRICING)					
	I.C.S		INNER CHAMBER SPRINGS 1.0, 1.2, 1.4, 1.6, 1.8, 2.0, 2.2, 2.4, 2.6		
	05 KX + I.C.S		05 KX'S INNER CHAMBER SPRINGS 1.0, 1.2, 1.4, 1.6, 1.8, 2.0, 2.2		
	05 YZ I.C.S.		INNER CHAMBER SPRINGS FOR THE '05 YZ'S 1.2, 1.4, 1.6, 1.8, 2.0, 2.2, 2.4, 2.6		
	06 YZ I.C.S.		INNER CHAMBER SPRINGS FOR THE '06 YZ'S 1.6, 1.8, 2.0, 2.2, 2.4		
	XR 50		CLUTCH SPRINGS		
	LT 80		SST CLUTCH SPRINGS LEFT HAND & RIGHT HAND WOUND		
	PW 50		SST CLUTCH SPRINGS		
	KLX 110		CLUTCH SPRINGS		
	CRF150R		SST CLUTCH SPRINGS		
	RM 85		SST CLUTCH SPRINGS		
	MOTOGUZZI		SHIFTER SPRINGS		
	CRF250		SST CLUTCH SPRINGS-SOLD AS EACH SPRING		
	CRF450		SST CLUTCH SPRINGS-SOLD AS EACH SPRING		
	KX/RMZ 250F		SSTCLUTCH SPRINGS-SOLD AS EACH SPRING		
	KX 450F		SST CLUTCH SPRINGS-SOLD AS EACH SPRING		
	YZ 250F		SST CLUTCH SPRINGS-SOLD AS EACH SPRING		
	YZ 250/450F		SST CLUTCH SPRINGS-SOLD AS EACH SPRING		
	Valve Spring - CRF250		VALVE SPRINGS - SOLD AS EACH SPRING		
	Valve Spring -CBR600		VALVE SPRINGS - SOLD AS EACH SPRING		
	Valve Spring CRF450		VALVE SPRINGS - SOLD AS EACH SPRING		
	Valve Spring KX 250F		VALVE SPRINGS - SOLD AS EACH SPRING		
	Valve Springs-Husky		VALVE SPRINGS - SOLD AS EACH SPRING		
	Valve Springs Laverda		VALVE SPRINGS - SOLD AS EACH SPRING		
	Valve Springs XV1600		VALVE SPRINGS - SOLD AS EACH SPRING		
NEW APPLICATIONS ARE ADDED DAILY, CHECK WITH US FOR WHAT YOU ARE LOOKING FOR					
WE HAVE OUR SIGNATURE SERIES AVAILABLE IN MOST PART NUMBERS.					
CALL US AT 405-512-RACE(7223) OR VISIT OUR WEBSITE: WWW.CANNONRACECRAFT.COM					
SIGNATURE SERIES SHOCK SPRINGS IN ORANGE POWDER COAT. SOME SHOCK SPRINGS AVAILABLE IN RED OR YELLOW POWDER COAT. OTHER COLORS BY SPECIAL REQUEST.					