

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
ALL SPRINGS BY EVEN RATES-OTHER RATES BY SPECIAL ORDER					
HONDA					
1996-2001	CR 80R/RB EXP	32448	.26-.50 EVEN RATES	55240	3.2-7.6
2002-2024	CR 85R/RB EXP	32448	.26-.50 EVEN RATES	55240	3.2-7.6
2001-2007	CR 125R	41485	.36,.38,.40,.42,.44,.46,.48,.50.52.54	59270	3.6-7.8
1997-2000	CR 125R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
2007-2024	CRF 150R/RB EXP	32448	.26-.50 EVEN RATES	55240	3.2-7.6
2003-2009	CRF 230F	30597	.40,.42,.44,.46,.48		SPECIAL
2018-2024	CRF250R	45470	.36 - .70 EVEN RATES	67240	4.4 - 6.8
2014-2016	CRF 250R	43461	.36 - .70 EVEN RATES	67250	3.6-6.8
2010-2013	CRF 250R	43461	.36 - .70 EVEN RATES	67265	3.6-6.8
2004-2016	CRF 250X	43495	.36 - .70 EVEN RATES	67265	3.6-6.8
2000-2009	CR 250R/ CRF 250R	43495	.36 - .70 EVEN RATES	67265	3.6-6.8
1997-1999	CR 250R	43495	.36 - .70 EVEN RATES	59270	3.6-7.8
1996	CR 250R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
2017-2024	CRF 450R	45470	.36 - .70 EVEN RATES	67240	4.4 - 6.8
2013-2016	CRF 450R	AIR	N/A	64258	4.2-6.8
2009-2012	CRF 450R	43461	.36 - .70 EVEN RATES	64258	4.2-6.8
2002-2008	CRF 450R	43495	.36-.70 EVEN RATES	67265	3.6-6.8
2018-2024	CRF450X	45470	.36-.70 EVEN RATES	67240	4.4-6.8
2005-2017	CRF450X	43495	.36 - .70 EVEN RATES	67265	3.6 - 6.8
1996- 2002	CR500R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
1996-2004	XR 250R	34444	.36,.38,.40,.42,.44,.46,.48,.50,.52.54	57190	11.0-12.6
2000-2004	XR 400R		SPECIAL VERIFY	64220	8.0-12.0
			CAN USE 37505 AND SPACER		
1996-1999	XR 400R	37505	.42,.44,.46,.48,.50,.52,.54	64220	8.0-12.0
			MAY NEED SPACER		
1996-2000	XR 600R		SPECIAL VERIFY	64220	8.0-12.0
			CAN USE 37505 AND SPACER		
2000-2024	XR 650R	39505	.42,.44,.46,.48,.50,.52,.54	62247	8.4-11.0
			2006 IS 556 LENGTH		
1993-2024	XR 650L	37505	.42,.44,.46,.48,.50,.52,.54	64220	8.0-12.0
	SPECIFY LENGTH DESIRED		SOME ARE 551 & 572		

CANNON RACECRAFT APPLICATION CHART						
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE	
KAWASAKI						
2002-2024	KX 65	27500	.24,.26,.28,.30,.32.34.36.38	46212	3.2-6.6	
CAN NOT USE WITH RACE TECH EMULATORS. MAY HAVE TO REMOVE ADJUSTABLE REBOUND RODS						
1992-2000	KX 80	31428	.24,.26,.28,.30,.32,.34,.36,.38.40	55240	3.2-7.6	
2000-2024	KX 85	31428	.24,.26,.28,.30,.32,.34,.36,.38.40	55240	3.2-7.6	
1995-2024	KX 100/112	31428	.24,.26,.28,.30,.32,.34,.36,.38.40	55240	3.2-7.6	
2003-2007	KX 125	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52.54	59270	3.6-7.8	
2013-2019	KX 250F	44664	.84 .86 .88 .90 .92 .94 .96 .98 1.0 1.02 1.04	67265	3.6-6.8	
2011-2012	KX 250F	43743	SPECIAL VERIFY	67265	3.6-6.8	
2006-2010	KX 250F	43495	.36-.70 EVEN RATES	67265	3.6-6.8	
2004-2005	KX 250F (4 STR)	43461	.36-.70 EVEN RATES	59270	3.6-7.8	
2020-2024	KX250/	KX250F/X	44497	.36 - .70 EVEN RATES	64258	3.6 - 7.8
2005-2007	KX 250 (2 STR)	44467	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8	
2003-2004	KX 250	43461	.36-.70 EVEN RATES	59270	3.6-7.8	
2002	KX 250		SPECIAL VERIFY	59270	3.6-7.8	
1996-2001	KX 250	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8	
2019-2024	KX450F/450X	45470	.36 - .70 EVEN RATES	67240	4.4-6.8	
2015-2018	KX 450F	AIR	N/A	67265	3.6-6.8	
2013-2014	KX 450F	AIR	N/A	64258	4.6-6.8	
2009-2012	KX 450F	44470	.36 - .70 EVEN RATES	64258	4.6-6.8	
2007-2008	KX 450F	44470	.36 - .70 EVEN RATES	59270	3.6-7.8	
2006	KX 450F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8	
1997-2004	KX 500	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54		3.6-7.8	
1991-1993	KX 500	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52.54	59270	3.6-7.8	
1993-2006	KDX 200	36472	SPECIAL VERIFY	59270	3.6-7.8	
1997-2005	KDX 220	36472	SPECIAL VERIFY	59270	3.6-7.8	
2002-2012	KLX 110		SPECIAL VERIFY	48143	SPECIAL	
2002-2003	KLX 125		SPECIAL VERIFY		SPECIAL	
2006-2008	KLX 250		SPECIAL VERIFY	5661257	6.0-8.4	
2009-2012	KLX 250S/SF		SPECIAL VERIFY	5661257	6.0-8.4	
1994-2024	KLX 300	39462	.36 - .54 EVEN RATES	59270	3.6-7.8	
2003-2004	KLX 400	43505	.36 - .70 EVEN RATES	59270	3.6-7.8	
2008-2010	KLX 450/KLX 450R	43461	.36 - .70 EVEN RATES	59270	3.6-7.8	
2008-2009	KLR 650		SPECIAL VERIFY		SPECIAL	
1995-2007	KLR 650		SPECIAL VERIFY	55240	3.2-7.6	

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
KTM					
2012-2014	50 SX	30338	.16,.18,.20,.22,.24	46130J/46130S	3.0-4.4
2011	50 JR/SR		SPECIAL VERIFY	46130J(46x42x130)	3.0-4.4
2024	65 SX	AER		46190	3.0-5.0
2017-2023	65 SX	AER	N/A	46212	3.2-6.6
2012-2016	65 SX	30370	.26,.28,.30,.32,.34,.36,.38	46212	3.2-6.6
2002-2011	65 SX/XC	30382	.26,.28,.30,.32,.34,.36,.38	46212	3.2-6.6
2012-2024	85 SX	38425	.26,.28,.30,.32,.34,.36,.38,.40	60215	3.0-7.8
2004-2011	85 SX/XC	38425	.26,.28,.30,.32,.34,.36,.38,.40	60238	3.0-6.0
2004-2011	105 SX/XC	38425	.26,.28,.30,.32,.34,.36,.38,.40	60238	3.0-6.0
2016-2024	125 SX	44470/AER	.36 .38 .40 .42 .44 .46 .48 .50 .52 .54	62250	3.4 -5.8
2008-2015	125 SX	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2007	125 SX	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2002-2006	125 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
1999-2001	125 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2013-2016	125 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2016	125 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
1999-2002	125 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2007-2008	125 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2016	150 XC	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62250	3.4 - 5.8
2014-2015	150 XC	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2009-2013	150 XC	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2016-2024	150 SX	44470/AER	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62250	3.4 - 5.8
2009-2015	150 SX	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2006-2016	200 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2005	200 EXC/MXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
1999-2002	200 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2008-2010	200 XC	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2006-2007	200 XC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2003-2005	200 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2016-2024	250 SX/SX-F	44470/AER	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62250	3.4 - 5.8
2008-2015	250 SX/SX-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2007	250 SX/SX-F	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2002-2006	250 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2000-2001	250 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0
2017-2024	250 XCF-W/XC-W	44470	.36-.70 EVEN RATES	60230	5.1-5.7/8.4-9.0
2008-2016	250 XCF-W/XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54,	62260	4.2-10.0
2016-2024	250 XC/XC-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62250	3.4 - 5.8
2014-2015	250 XC/XC-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2008-2013	250 XC/XC-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2007	250 XC/XC-F/XCF-W/XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2006-2007	250 XC/SX-F/SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2017-2024	250 EXC	44470	.36-.70 EVEN RATES	60230	5.1-5.7/8.4-9.0
2003-2016	250 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2000-2002	250 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260	4.2-10.0

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
KTM					
2013-2016	250/300 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2006-2016	300 XC-W	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2014	300 XC	44470	.36 - .70 EVEN RATES	62260	4.2-10.0
2008-2013	300 XC	43485	.36 - .70 EVEN RATES	62260	4.2-10.0
2006-2007	300 XC	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2003-2015	300 EXC/MXC	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2000-2002	300 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52.54	62260	4.2-10.0
2017-2024	350EXC-F/XCF-W	44470	.36-.70 EVEN RATES	60230	5.1-5.7/8.4-9.0
2012-2015	350 EXC-F/XCF-W	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2016-2024	350 SX-F / XC-F	AER		62250	3.4 - 5.8
2011-2015	350 SX-F	43485	.36 - .70 EVEN RATES	62260	4.2-10.0
2014	350 XC-F	44470	.36 - .70 EVEN RATES	62260	4.2-10.0
2011-2013	350 XC-F	43485	.36 - .70 EVEN RATES	62260	4.2-10.0
2013-2014	350 EXC-F SIX DAYS	44465	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260	4.2-10.0
07,09-10	400 XC-W	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2002	400 SX	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2000-2001	400 SX/EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	62260	4.2-10.0
2001-2002	400 LC4 DUAL SPORT	38510	.36, .38, .40, .42, .44, .46, .48, .50, .52 .54	62260	4.2-10.0
2018-2024	450 XC-F	AER		62250	3.4-5.8
2016-2017	450 XC-F	44470	.36 - .70 EVEN RATES	62250	3.4 - 5.8
2014-2015	450 XC-F	44470	.36 - .70 EVEN RATES	62260	4.2-10.0
2008-2013	450 XC-F	43485	.36 - .70 EVEN RATES	62260	4.2-10.0
2016-2024	450 SX-F/XC-F	AER		62250	3.4 -5.8
2008-2015	450 SX-F	43485	.36 - .70 EVEN RATES	62260	4.2-10.0
2007	450 SX-F	43457	.36 - .70 EVEN RATES	62260	4.2-10.0
2003-2006	450 SX	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2017-2024	450 XCF-W/EXC-F	44470	.36-.70 EVEN RATES	60230	5.1-5.7/8.4-9.0
2006-2016	450 XC-W	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2009-2011	450 EXC	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2014	450 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260	4.2-10.0
2017-2024	500 XCF-W/EXC-F	44470	.36-.70 EVEN RATES	60230	5.1-5.7/8.4-9.0
2012-2016	500 XC-W/EXC	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2013-2016	500 EXC SIX DAYS	44465	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260	4.2-10.0
2008-2009	505 XC-F/SX-F	43485	.36 - .70 EVEN RATES	62260	4.2-10.0
2000-2002	520 EXC	38510	.36, .38, .40, .42, .44, .46, .48, .50, .52 .54	62260	4.2-10.0
2002	520 SX	43505	.36 - .70 EVEN RATES	62260	4.2-10.0

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
KTM					
2006-2007	525 XC-W/XC	43505	.36-.70 EVEN RATES	62260	4.2-10.00
2006	525 EXC-G RACING	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2006	525 XC-G RACING	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2009-2011	530 EXC	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2008-2010	530 XC-W	43505	.36 - .70 EVEN RATES	62260	4.2-10.0
2008	560 SMR	43485	.36 - .70 EVEN RATES	62260	4.2-10.0
2003-2006	640 LC4 ADVENTURE	43485	.36 - .70 EVEN RATES		Special
2001-2004	640 LC4 DUAL SPORT	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54		Special
2019-2024	690/HUSKY 701	435430	.62-.72 EVEN RATES		
2012-2018	690 ENDURO R	44470	.36 - .70 EVEN RATES	61220	7.0-10.0
2008-2011	690 ENDURO R	43485	.36 - .70 EVEN RATES	61220	7.0-10.0
2008-2010	690 SMC/SMR	43485	.36 - .70 EVEN RATES	61220	7.0-10.0
2009	690 DUKE	43485	.36 - .70 EVEN RATES	61220	7.0-10.0
2008	690 ENDURO	43465	.38 - .70 EVEN RATES	61220	7.0-10.0
2008	690 SM	43505	.36 - .70 EVEN RATES	61220	7.0-10.0
2019-2022	790/890 ADVENTURE	438460	.68-.80 EVEN RATES	59210	10.0-11.2
2009	950 S	43465	.38 - .70 EVEN RATES	62225	13.8 - 15.2
2007-2008	950 SM	43457	.36 - .70 EVEN RATES		
2007-2008	950 SUPER ENDURO	43457	.36 - .70 EVEN RATES		
2004-2006	950 ADVENTURE	43485	.36 - .70 EVEN RATES		
09,11-12	990 ADVENTURE R	43465	.38-.70 EVEN RATES	62225	13.8 - 15.2
2007-2010	990 ADVENTURE S	43465	.38-.70 EVEN RATES	62225	13.8 - 15.2

**NOTE: ALL ITEMS ARE SUBJECT TO CHANGE/CORRECTION-NOT GUARANTEED TO BE CORRECT PART NUMBERS.
PLEASE VERIFY SPRING DIMENSIONS ON ALL ITEMS**

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
SUZUKI					
2006-2009	DRZ 125		SPECIAL VERIFY	NEED CONFIRMATION	
2003	DRZ 125		SPECIAL VERIFY		SPECIAL
2000-2024	DRZ 400E/S	43505	.36 - .70 EVEN RATES	67265	3.6-6.8
	SPECIFY LENGTH DESIRED				
2005-2024	DRZ 400SM	43450	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265	3.6-6.8
2001-2008	DRZ 400	43505	.36 - .70 EVEN RATES	67265	3.6-6.8
1999-2018	DR 650SE	37505	.42,.44,.46,.48,.50,.52,.54	5661257	6.0-8.4
	SPECIFY LENGTH DESIRED				
2003-2006	RM 65	27500	.24,.26,.28,.30,.32,.34,.36 .38	46212	3.2-6.6
2005-2024	RM 85	32448	.22-.50 EVEN RATES	55240	3.2-7.6
2002-2004	RM 85	32448	.22-.50 EVEN RATES		SPECIAL
2007-2014	RM 85L	32448	.22-.50 EVEN RATES	55240	3.2-7.6
2002-2006	RM 100	31428	.24,.26,.28,.30,.32,.34,.36,.38 .40	55240	3.2-7.6
2004-2008	RM 125	43495	.36 - .70 EVEN RATES	67265	3.6-6.8
2004-2009	RM 250	43495	.36 - .70 EVEN RATES	67265	3.6-6.8
2003	RM 250	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270	3.6-7.8
2001-2002	RM 250	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8
2019-2024	RMZ250	44497	.36 - .70 EVEN RATES	64258	3.6 - 6.8
2016-2018	RMZ250	AIR		64258	
2013-2015	RMZ 250	44664	.84 .86 .88 .90 .92 .94 .96 .98 1.0 1.02 1.04	67265	3.6-6.8
2007-2012	RMZ 250	43495	.36 - .70 EVEN RATES	67265	3.6-6.8
2004-2006	RMZ 250	43461	.36 - .70 EVEN RATES	59270	3.6-7.8
2018-2024	RMZ 450	45470	.36 - .70 EVEN RATES	67240	3.6-6.8
2015-2017	RMZ 450	AIR	N/A	67265	3.6 - 6.8
2013-2014	RMZ 450	44664	.84 .86 .88 .90 .92 .94 .96 .98 1.0 1.02 1.04	67265	3.6-6.8
2005-2012	RMZ 450	43495	.36 - .70 EVEN RATES	67265	3.6-6.8

CANNON RACECRAFT APPLICATION CHART						
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE	
YAMAHA						
2001-2009	PW 50	Forks	26lbs, 37lbs, 44lbs	Shock	25lb 35lb 45lb	
2020-2024	WR250F	44497	.36-.70 EVEN RATES	64258/64275	3.6-6.8	
2015-2019	WR250F	43461	.36-.70 EVEN RATES	64275	3.6-6.8	
2005-2014	WR 250F	43461	.36 - .70 EVEN RATES	59270	3.6-7.8	
2001-2004	WR 250F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270	3.6-7.8	
2019-2024	WR 450F	44497	.36-.70 EVEN RATES	64258/64275	3.6-6.8	
2005-2018	WR 450F	43461	.36 - .70 EVEN RATES	59270	3.6-7.8	
2003-2004	WR 450F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52.54	59270	3.6-7.8	
2018-2024	YZ 65	31334	.24 .26 .28 .30 .32 .34 .36 .38	55208	3.4-6.4	
1993-2001	YZ 80	31428	.24,.26,.28,.30,.32,.34,.36,.38 .40	55225	3.4-6.8	
1999-2024	YZ 85	31428	.24,.26,.28,.30,.32,.34,.36,.38 .40	55225	3.4-6.8	
2022-2024	YZ 125	44497	.36-.70 EVEN RATES	59270	3.6-7.8	
2006-2021	YZ 125	44453	.36 - .70 EVEN RATES	59270	3.6-7.8	
2005	YZ 125	44467	.36,.38,.40,.42,.44,.46,.48,.50 .52 .54	59270	3.6-7.8	
2004	YZ 125	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8	
1996-2003	YZ 125	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270	3.6-7.8	
2022- 2024	YZ250	44497	.36 - .70 EVEN RATES	59270	3.6-7.8	
2006-2021	YZ 250	44453	.36 - .70 EVEN RATES	59270	3.6-7.8	
2005	YZ 250/250F	44467	.36,.38,.40,.42,.44,.46,.48,.50 .52 .54	59270	3.6-7.8	
2004	YZ 250/250F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8	
1996-2003	YZ 250	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270	3.6-7.8	
2014-2024	YZ 250F	44497	.36 - .70 EVEN RATES	64258/64275	4.6-6.8	
2006-2013	YZ 250F	44453	.36 - .70 EVEN RATES	59270	3.6-7.8	
2001-2003	YZ 250F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270	3.6-7.8	
2014-2024	YZ 450F	44497	.36 - .70 EVEN RATES	64258/64275	4.6-6.8	
2010-2013	YZ 450F	44470	.36 - .70 EVEN RATES	64258	4.6-6.8	
2006-2009	YZ 450F	44453	.36 - .70 EVEN RATES	59270	3.6-7.8	
2005	YZ 450F	44467	.36,.38,.40,.42,.44,.46,.48,.50 .52 .54	59270	3.6-7.8	
2004	YZ 450F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270	3.6-7.8	
1998-2003	YZ 450F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270	3.6-7.8	
2000-2007	TTR 125		SPECIAL VERIFY		SPECIAL	
1999-2006	TTR 225		SPECIAL VERIFY		SPECIAL	
2005-2012	TTR 230	29614	.36-.54 EVEN RATES	57210	7.2-10.0	
1999-2007	TTR 250		SPECIAL VERIFY	59270	3.6-7.8	

CANNON RACECRAFT APPLICATION CHART				
MISCELLANEOUS				
INNER CHAMBER SPRINGS				
I.C.S.	KYB: 106MM	STRAIGHT RATES: 1.0, 1.2, 1.4, 1.6, 1.8, 2.0, 2.2, 2.4, 2.6		
	SHOWA: 100MM	STRAIGHT RATES: 1.0, 1.2, 1.4, 1.6, 1.8, 2.0, 2.2, 2.4, 2.6		
	WP: 114MM	STRAIGHT RATES: 1.0, 1.2, 1.4, 1.6, 1.8, 2.0		
AER PRESSURE SPRING		STRAIGHT RATES: 1.0, 1.2, 1.4, 1.6, 1.8, 2.0		
MOTOGUZZI		SHIFTER SPRINGS		
MARZOCCHI	45MM	40462	.36,.38,.40,.42,.44,.46,.48,50,.52	
	48MM	44470	.36,.38,.40,.42,.44,.46,.48,50,.52	
	50MM	46450	.36,.38,.40,.42,.44,.46,.48,50,.52,.54	
	50MM	46465	.36,.38,.40,.42,.44,.46,.48,50,.52,.54	
OHLINS	48MM	43.8 x 465	SPECIAL	
SACHS	48MM	44467/43461	.36,.38,.40,.42,.44,.46,.48,.50	
OHLINS		59275	4.6-7.6	
SACHS		60260	4.4-8.6	
BANSHEE		56235	5.8-9.6	
CLUTCH SPRINGS				
HONDA	1987-2007	CR 80/85	.834 OD x 1.555 FL	4 TO A SET
	07-09,12-16	CRF 150R	.848 OD x 1.845 FL	5 TO A SET
	2010-2016	CRF 250R	.726 OD x 1.99 FL	5 TO A SET
	2004-2009	CRF 250R	.712 OD x 1.663 FL	5 TO A SET
	2013-2016	CRF 450R	.73 OD x 2.2 FL	6 TO A SET
	2009-2012	CRF 450R	.74 OD x 2.1 FL	4 TO A SET
	02-03,06-08	CRF 450R	0.732 OD x 2.055 FL	6 TO A SET
	KAWASAKI	2006-2016	KX 250F	.705 OD x 2.065 FL
2006-2016		KX 450F	.785 OD x 2.03 FL	5 TO A SET
2006-2016		KX 450F HD	.785 OD x 1.9 FL	5 TO A SET
KTM	2014	50SX SR	.545 OD x .660 FL	6 TO A SET
	2009-2012	50 SX/SXS SR	.74 OD x 1.145 FL	3 TO A SET
	2009-2014	65 SX	.720 OD x .95 FL	6 TO A SET
	2003-2014	85 SX/105 SX	.577 OD x 1.55 FL	5 TO A SET
	2006-2012	250 SX/XC/XC-W	.702 OD x 1.48 FL	6 TO A SET
	2006-2012	250 SX-F/XC-F/XC-W	.703 OD x 1.7 FL	5 TO A SET
	2011-2012	350 SX-F/XC-F	.728 OD x 1.8 FL	6 TO A SET
	SUZUKI	2005-2015	RMZ 250	.705 OD x 2.065 FL
2008-2015		RMZ 450	.735 OD x 2.2 FL	6 TO A SET
YAMAHA	1981-2016	PW 50	32# & 40#	2 TO A SET
	2014-2016	YZ 250F	.68 OD x 1.95 FL	5 TO A SET
	2008-2013	YZ 250F	.67 OD x 1.7 FL	5 TO A SET
	2001-2007	YZ 250F	.675 OD x 1.825 FL	5 TO A SET
	2006-2016	YZ 450F	.67 OD x 2.14 FL	6 TO A SET
CANNON RACECRAFT CLUTCH SPRINGS ARE MADE OUT OF 17-7 STAINLESS STEEL TO WITHSTAND HIGHER HEAT. THIS IS SO THEY WON'T "SACK" OR TAKE A SET, THEREFORE WE CAN GUARANTEE THEM FOR LIFE. THEY ARE DESIGNED AT AN APPROXIMATE 20% LIGHTER RATE THAN STOCK FOR EASIER PULL ON THE CLUTCH HANDLE BUT A LONGER FREE LENGTH TO GIVE APPROXIMATELY 10-20% HIGHER INSTALLED LOAD. THIS GIVES THE PRESSURE PLATES A STRONGER ENGAGEMENT FORCE RESULTING IN LESS SLIPPAGE OF THE CLUTCHES.				